




al

R6 I \$* @

FÌÈÞUXÉĞ€FJ

Low VF Bridge Rectifiers



R

:YUhi fYg

00 0 0 0 J S 5 4 SI H E ++ D 7 B +H C B

Low IRRM

Low VF

High VRRM

6YbYZ]hg

ÜBU

Reduced power loss and switching transistor

~ Ü^ä ~ & ^ä Á • } ~ àä ä } *

D-BB=B ;

AUI]a i a 'FUh]b [g'UbX'9`YWhf]WU`'W\UfUWhYf]gh]Wg

G S +H C B S S H H E S S A + S I BH B9 AD BQ 05 H S K B Q3 CH S + S D7S - - - S

0 G A I B 0 DK9 S J + S I S B G G F J S +H F +H J 00+ S S7 S +H SC S J T C 0 S 0 S BH +H SCFAT S FB B9 S S H

DUfU a YhYf	R6 I \$* @	I b]hg
I A S +L A J X A P D S +BH B G S S F3 Q 9 SC M A	î	
I A S +L J A 0 A SC SH A	IG	
I S +L 0 A A 0 C + I B SC SH	î	
FA S S C S I 7 S I +H I B B F F H S BH 0 S	.0	
S K SF I E C S F3 S I FF S G BH 0 A R J B S I J S + I B + S S GFS D + AD B C B C B S H B SC B S W SC		
I K S D F FB C S B SC SH S H	€€	
I S K +L A F A FB C S B SC SH S H	€€J	
I S +L A 0 A S IFS S FF S (BH I A C S W B H S 0 C + I B SC SH C	F€ í	
IB I B + S 7 B +H C B S 0 B + S H7 B S CH	25	D
FD D S +H C B S 0 B H S C C S I F3 B A D F S H W 0 B E E C H R		I

S G ICH S F S S H S H 0 S B J S 0 0 + S H F3 B S SC SH C I 9 0 0 G B H C J M S S D E C L K F SC B X "x " (X) A 7 F3 B D D S B

ÜÓW €ÎŠÜÜ^çİÈF

0 F + C C B F3 BH S S +H (S S) ++ S S + A H S





al

R6 I 4\$* @



FÌÈÞUXÉG€FJ

RATINGS AND CHARACTERISTICS CURVES



μ C E v š E š] v P U

d Ç %] o : μ v š] } v % o] š v



o Ô Á = Á Á

d Ç %] Z Ø C • μ C E v š

